


Start of GnuCash 2.6.20:

* 08:34:22 WARN <gnc.app-utils> Could not spawn perl: Uitvoeren van dochterproces is mislukt (No su
* 08:34:29 WARN <gnc.gui> Unable to read mtime for file C:\Users\René Romijn\Documents\InstInkt\I
* 08:36:12 WARN <gnc.scm> Kan opmaaksjabloon niet opslaan

Installed version: gnucash-3.0-2018-04-24-git-3.0-88-gc44316073+.setup

First Time Start:




Clicked No

Clicked File --> Open and browsed to the same location where the original file is.




Clicked the left button, because i dont want to safe the empty file

Then it opens the file, even with the custom report i last run with the 2.6.20 version:



Went to the custom reports







Those are empty, but i have some on the older version.







This is the location where the custom reports are looking for:



But the old reports are located elsewhere:



-  expressions-2.0
-  saved-reports-2.4
-  saved-reports-2.4-backup
-  stylesheets-2.0

After closing and reopening gnucash it opens good.


This is the tracefile after first opening:

```
* 07:38:14 WARN <gnc.app-utils> Could not spawn perl: Failed to execute child process (No such file or
* 07:38:14 WARN <gnc.backend.dbi> [GncDbiBackend<Type>::session_begin()] Sqlite3 file C:\Users\Re
* 07:39:40 CRIT <GLib> g_file_test: assertion 'filename != NULL' failed
* 07:40:38 WARN <gnc.gui> Unable to read mtime for file C:\Users\René Romijn\Documents\InstInkt\I
```

This is the trace file after second opening:

```
* 07:45:33 WARN <gnc.app-utils> Could not spawn perl: Failed to execute child process (No such file or
* 07:45:40 WARN <gnc.gui> Unable to read mtime for file C:\Users\René Romijn\Documents\InstInkt\I
```

After reverting back to 2.6.20 i have to reopen the file manually, but everything is back then.





penen,
vanuit

ten

nÃ© Romijn\Documents\InstInkt\Boekhouding\InstInkt.gnucash not found

